

These are NEW procedures (see 1,2,3 immediately below) effective immediately for processing the G081/SBSS reconciliation report. If the OLD procedure (see subsequent pages, sections 4I through 4L) is still working for your unit, you may continue in this way. When/If the OLD procedure listed below ceases to work, you must start using the new procedure.

1. Using Netscape or IE go to the RSS web page. The link is <https://amcrss.scott.af.mil/amcrss/reports/index.html>. Once there, select by your SRAN account (see "Go Straight to Your Reports"). Select your SRAN. Once there, go to the date your M30 was last processed (if unknown contact your supply POC). Find the "last" M30 report. This should be the one that is the text only version (the text only version in data format is the only one which can be used). Then "right click" and "save target as". In the dialog box, input a folder/file location on your hard drive and save the file. For help on this step, contact the POC listed on the web page or your supply POC.

2. Next step is to FTP this saved file to G081. Using (DOS) FTP, connect to `tdsc2.okc.disa.mil` or `192.42.81.113`. The user-id is `mam0sbs` and the password is `sbssif97`. Next enter the PUT command at the ftp prompt then the file name where you saved the M30 from step 1 above. Then `'MA.SBSS.M30.XXXX'` (XXXX is your G081 base code). Then press enter. Note - you MUST include the `' '` marks. Once the FTP completes, run the SBSS-M30 in using G081 program F9029. EXAMPLE: `PUT C:\MYFILE.TXT 'MA.SBSS.M30.FJXT'`. Remember you can still do option 3.4 in TSO to verify the file transfer was correctly processed. For help on this and the next step, contact G081 FAO.

3. Final step, for those who need to do the reconciliation, is to run 67022.

The above process is normally accomplished monthly. Some units may run more often than others. The increment at which your M30 is processed is a locally decided and scheduled issue between maintenance and supply.

----- OLD PROCEDURE BELOW -----

THIS IS A COPY OF THE ORIGINAL MESSAGE ON FILE AT HQ AMC/LGQA DATED 30JUN97. THIS MESSAGE IS BEING SENT FOR REFERENCE PURPOSES ONLY. MOST OF THE TECHNICAL INFORMATION CONTAINED IS STILL ACCURATE, HOWEVER OTHER INFORMATION MAY NO LONGER BE VALID.

ITEMS 4.I. THROUGH 4.L. ARE THE ITEMS THAT LIST HOW TO PROPERLY RUN THE M30 PROCESS IN SBSS AND TRANSFER THE DATA FILE TO G081. AFTER THESE STEPS ARE COMPLETE, THE G081 MANAGER SHOULD RUN SBSS-M30 JOB IN 9029. ONCE THIS IS COMPLETE USER(S) CAN RUN THE 67022 RECONCILIATION REPORT.

UNCLASSIFIED

01 11 101230Z JUN 97 RR RR UUUU ZYUW LGQA 210855

SUBJECT: G081/SBSS INTERFACE IMPLEMENTATION

1. THIS MESSAGE CONTAINS INTERIM GUIDANCE/POLICY FOR IMPLEMENTATION OF THE G081/SBSS INTERFACE UNTIL AIR MOBILITY COMMAND (AMC) INSTRUCTIONS ARE UPDATED. THIS INTERFACE IS OPERATIONAL AS OF 15 MAY 97, HOWEVER, IT CANNOT BE IMPLEMENTED AT YOUR BASE UNTIL SUFFICIENT TRAINING HAS BEEN ACCOMPLISHED.

2. CURRENTLY, GRAND FORKS AFB (AMC) IS USING THE INTERFACE IN AW OPERATIONAL ENVIRONMENT, WHILE DOVER AFB (AMC), GRISSOM ARB (AFRC), AND STEWART ANGB (ANG) ARE IN THE TRAINING PHASE. WHEN EACH UNIT HAS ACCOMPLISHED SUFFICIENT TRAINING AND IS READY TO GO OPERATIONAL WITH THE INTERFACE, THAT UNIT'S G081 MANAGER MUST CONTACT THE G081 FUNCTIONAL MANAGER AT HQ AMC/LGQA, DSN 576-8190 TO ARRANGE FOR AN IMPLEMENTATION. PLEASE ALLOW AT LEAST ONE WEEK NOTICE PRIOR TO REQUESTING OPERATIONAL INTERFACE.

3. THE "KEY" TO SUCCESS FOR THIS INTERFACE IS A CONSCIENTIOUS EFFORT ON EACH BASE'S PART DURING THE TESTING/TRAINING PERIOD. WE HIGHLY RECOMMEND AND EXPECT ALL MAINTENANCE AND SUPPLY MANAGERS TO GIVE THIS NEW INTERFACE THE TIME NECESSARY TO COMPLETE ADEQUATE ON-THE-JOB TRAINING (OJT). PRIOR TO IMPLEMENTATION, EACH UNIT WILL USE THE G081/SBSS TEST DATABASE (GRAND FORKS AFB DATA, JFSD) TO ACCOMPLISH OJT. THE BASE G081 MANAGERS WILL CONTACT HQ AMC/LGQA, DSN 576-8190 TO OBTAIN USER ID'S AND ACCESS TO THE GRAND FORKS TEST DATA. ESTIMATED TIME REQUIRED TO ACCOMPLISH OJT IS THREE WEEKS PER BASE.

THE G081/SBSS INTERFACE USER'S GUIDE MUST BE DOWNLOADED FROM THE HQ AMC/LO HOME PAGE PRIOR TO COMMENCING YOUR OJT ON THE 6 NEW G081 PROGRAMS. THE INTERFACE WILL ELIMINATE APPROXIMATELY 120,000 TRANSACTIONS BEING DUALY ENTERED INTO SBSS AND G081 EACH MONTH, AS WELL AS ENSURING INCREASED DATA ACCURACY IN BOTH SYSTEMS.

4. UPON COMPLETION OF TESTING AND ORIENTATION BY THE IDENTIFIED UNITS, IT IS NECESSARY THAT EACH LG ENSURE THE FOLLOWING PRE-IMPLEMENTATION ACTIONS ARE COMPLETE PRIOR TO EACH BASE'S INTERFACE CAPABILITIES BEING ACTIVATED.

4.A. MAINTENANCE ACTIONS - MUST BE ACCOMPLISHED BEFORE THE G081 PORTION OF THE INTERFACE CAN BE "TURNED ON".

4.A.1. EACH SQUADRON SHOULD APPOINT A POINT OF CONTACT (POC). POC MUST PROVIDE A LIST OF ALL ORGANIZATIONAL ACCOUNT CODES (ORG ACCTS) USED TO ORDER PARTS TO THE G081 MANAGER. ANY FUTURE CHANGES TO THE MAINTENANCE ORG ACCTS MUST ALSO BE PROVIDED TO THE G081 MANAGER.

4.A.2. G081 MANAGER WILL PROVIDE ALL MAINTENANCE ORG ACCTS, AS WELL AS UPDATES, TO SUPPLY POC FOR UPDATE INTO SBSS (MUST DO BEFORE SUPPLY CAN PERFORM ITEMS 4.B THROUGH 4.L.

4.A.3. THE SQUADRON G081/SBSS INTERFACE POC'S ARE RESPONSIBLE FOR ENSURING G081/SBSS INTERFACE USER'S GUIDES ARE AVAILABLE THROUGHOUT THEIR SQUADRONS AND ASSIST SUPERVISORS AND USERS WITH TRAINING AND ANSWERING QUESTIONS. SQUADRON POC WILL ASSIST IN ACCESSING AND PRINTING THE G081/SBSS INTERFACE USER'S GUIDE FROM THE AMC/LG WEB PAGE AND HELP DISTRIBUTE THE USER'S GUIDE APPROPRIATELY TO USERS AS NECESSARY. ON-THE-JOB TRAINING (OJT) SHOULD BEGIN IMMEDIATELY.

4.A.4. G081 MANAGER WILL ASSIST WITH OJT AS THE USER'S GUIDE IS DISTRIBUTED, AS NECESSARY.

4.A.5. G081 MANAGER WILL PROCESS THE G081 RECONCILIATION REPORT (67022) AS SOON AS SUPPLY IDENTIFIES THE M30 FILE HAS BEEN TRANSMITTED TO THE G081 HOST. SEPARATE AND DISTRIBUTE THE OUTPUT TO APPLICABLE MAINTENANCE ORGANIZATIONS BASED ON ORGANIZATIONAL ACCOUNT AND SHOP CODE (ITEMS 4.B THROUGH 4.L MUST FIRST BE COMPLETED BY SUPPLY).

4.A.6. G081 MANAGER WILL PROCESS ADD (A) TRANSACTIONS IN G081 PROGRAM 9096 (SUPPLY SHOP ORG PRINTER) FOR EACH ORG ACCT BY TYPING THE ORG ACCT IN THE FIELD AND A VALID PRINTER IN THE "PRINTER-LTERM" FIELD. THIS IS REQUIRED TO ENSURE THE CORRECT ROUTING OF 'UNSOLICITED' SBSS MESSAGE TRAFFIC.

4.A.7. NOTE: WE RECOMMEND THAT MAINTENANCE PROCESS A PRE-TURN-ON RECONCILIATION. MAINTENANCE SHOULD WORK WITH SUPPLY AND REQUEST A PRODUCTION M30 BE GENERATED FOR ALL MAINTENANCE ORGANIZATIONS AND FOLLOW TEMS 4.B THROUGH 4.L. WHEN THE M30 IS AVAILABLE ON THE G081 HOST, MAINTENANCE CAN THEN PROCESS ONLY ONE EXECUTION OF G081 PROGRAM 67022. THIS WILL PROVIDE AN IMPORTANT LOOK IDENTIFYING WHAT THE RECONCILIATION ACTUALLY WILL CONSIST OF, BEFORE THE INTERFACE IS TURNED ON. ENTRIES CAN BE MADE TO RECONCILE THE ERRORS WHEN THE INTERFACE IS TURNED ON.

4.B. SUPPLY PRE-IMPLEMENTATION ACTIONS - SUPPLY WILL APPOINT A SQUADRON POC(S) TO ASSIST WITH THE IMPLEMENTATION. THE FOLLOWING PROVIDES THE PROCEDURES AND IDENTIFIES THE PROCESSES REQUIRED PRIOR TO ESTABLISHING THE AMC MAINTENANCE MANAGEMENT INFORMATION SYSTEM (AMCMMIS)/G081-TO-SBSS INTERFACE.

4.C. DAY PRIOR TO G081 IMPLEMENTATION: BEFORE PROCESSING NORMAL END-OF-DAY REPORTS, CLOSE SECONDARY DATABASE, TAKE ALL USERS DOWN, AND PROCESS THE FOLLOWING.

4.C.1. UPDATE IDENTIFIED G081 ORGANIZATION COST CENTER RECORD(S) BY PROCESSING FOR INPUTS AS FOLLOWS (SEE AFM 23-110, VOL. II, PART TWO, CHAPTER 27, ATTACH Q-2 FOR THE INPUT).

4.C.2. CARD COLUMNS 1-3 "FOR"

4.C.3. CARD COLUMNS 4-5 SYSTEM DESIGNATOR

4.C.4. CARD COLUMNS 6-8 ORGANIZATION CODE

4.C.5. CARD COLUMN 9 "C" ACTION CODE

4.C.6. CARD COLUMN 86 "G" (TYPE MAINTENANCE CODE)

4.C.7. CARD COLUMNS 87-90 ALN

4.C.8. CARD COLUMN 92 "1" (CAMS GANG-NBR)

4.C.9. CARD COLUMN 111 "G" (MAINT UNIT IDENT CODE)

4.D. LOAD AN SBSS ADS INTERFACE RECORD FOR AMCMMS/G081 AS FOLLOWS (SEE AFM 23-110, VOL. II, PART TWO, CHAPTER 8, ATTACH D-1 FOR 1ID INPUT).

4.D.1. CARD COLUMNS 1-3 1ID

4.D.2. CARD COLUMNS 5-5 SYSTEM DESIGNATOR

4.D.3. CARD COLUMN 7 "G" (ADS CODE)

4.D.4. CARD COLUMNS 8-11 HOST BASE ALN

4.D.5. CARD COLUMNS 12-17 "TIG081" (RECEIVING HOST)

4.D.6. CARD COLUMNS 18-21 "G081" (RECEIVER'S ID)

4.D.7. CARD COLUMNS 22-25 "G081" (RECEIVING HOST ALN NUMBER)

4.D.8. CARD COLUMNS 26-31 "NGOICI" (RUN-ID)

4.E. NOTE: THE ICI AUTHORIZATION FILE AT DEFENSE MEGA CENTER (DMC) HOSTS WILL BE UPDATED BY THE AIR FORCE ICI ADS MANAGER, GUNTER AFB.

4.F. PROCESS END CARD (TWILIGHT).

4.G. PROCESS ONE-TIME PROGRAM NGV154 TO MASS UPDATE MMICS TRACKED DUE-OUT DETAILS FOR G081 IDENTIFIED ORGANIZATIONS (SEE OGV00000*DBWORK.NGV154/DOC FOR NGV154 DOCUMENTATION).

4.H. PROCESS NORMAL END-OF-DAY REPORTS AS USUAL.

4.I. PROCESS SBSS DUE-OUT VALIDATION PROGRAM (M30/NGV872) FOR G081 IDENTIFIED ORGANIZATIONS AS FOLLOWS.

4.I.1. CARD COLUMNS 1-3 "RPT"

4.I.2. CARD COLUMNS 4-6 "M30"

4.I.3. CARD COLUMNS 7-24 "DUE-OUT VALIDATION"

4.I.4. CARD COLUMN 32 "-"

4.I.5. CARD COLUMNS 35-64 G081 ORGANIZATION CODES

4.I.6. CARD COLUMN 70 "G"

4.I.7. CARD COLUMN 72 "S"

4.I.8. CARD COLUMN 74 "-"

4.I.9. CARD COLUMNS 75-76 SYSTEM DESIGNATOR

4.J. NOTE: VALIDATION IMAGES WILL BE PRODUCED FOR G081 DETAIL RECORD. THESE IMAGES WILL BE WRITTEN TO A DISK FILE (X)GV0<ALN>*GV872UD70# [(X) = GANG NUMBER, <ALN> = ACCESS AND LOCATION NUMBER, AND # = FILE INCREMENT NUMBER]. IF MORE THAN ONE M30 NEEDS TO BE PROCESSED TO INCLUDE ALL APPLICABLE G081 ORGANIZATIONS, MERGE THE VALIDATION IMAGE FILES TOGETHER INTO ONE FILE AND TRANSFER "ONE" FILE TO THE G081 HOST.

4.K. TRANSFER THE VALIDATION IMAGES TO THE G081 HOST AS FOLLOWS.

4.K.1. @IPF

4.K.2. TRAN FROM=(X)GV0<ALN>*GV872UD70#. TO="192-42-81-113::'MA.SBSS.M30.????'" &

4.K.2.A. (X) = GANG NUMBER

4.K.2.B. <ALN> = ACCESS AND LOCATION NUMBER

4.K.2.C. # = FILE INCREMENT NUMBER

4.K.2.D. ???? = G081 BASE CODE (EXAMPLE: WHERE BASE CODE FOR GRAND FORKS IS "JFSD", BUT USE YOUR BASE'S APPLICABLE CODE)

4.K.2.E. NOTE: G081 BASE CODES CAN BE OBTAINED FROM THE APPLICABLE BASE G081 MANAGER.

4.K.3. SITEINFO="SPACE (10, 10) RECFM (FB) LRECL(80) BLKSIZE (27920) VOLUME (STCT01)" &

4.K.4. USER=MAM0SBS PASS=SBSSIF97

4.L. CONTACT THE G081 MANAGER WHEN TRANSFER OF G081 DUE-OUT VALIDATION IMAGES IS COMPLETE.

5. WE ENVISION ALL PRE-IMPLEMENTATION ACTIONS IDENTIFIED ABOVE TO BE COMPLETED TO ACCESS A SUCCESSFUL "SWITCHOVER" WHERE RECONCILIATION MAY THEN OCCUR.

6. G081 - SBSS INTERFCE POLICIES.

6.A. EACH SQUADRON WILL BE RESPONSIBLE FOR RECONCILING THEIR OWN DISCREPANCIES FOUND DURING THE RECONCILIATION PROCESS. IT SHOULD BE UNDERSTOOD THAT UPDATES TO RECORDS IDENTIFIED ON THE RECONCILIATION REPORT CANNOT BE ENTERED INTO G081 UNTIL THE INTERFACE IS TURNED ON.

6.B. ONLY SUPPLY PERSONNEL (DSE/MICAP/MSL) WILL BE ABLE TO BACKORDER FOR MICAP AIRCRAFT, SUPPORT EQUIPMENT AND/OR ENGINES AND ENGINE PARTS (G081 PROGRAMS 9092 AND 9094).

6.C. IT IS VITALLY IMPORTANT, REPEAT, VITALLY IMPORTANT THAT ALL MAINTENANCE AND SUPPLY PERSONNEL UNDERSTAND THAT ONCE IMPLEMENTATION IS COMPLETE; ANY LBS, ISU, DIT, NOR, DUO, AND/OR DOC TRANSACTIONS REQUIRED MUST BE ENTERED INTO G081 ONLY - WHERE ENTRIES WILL BE PROGRAMMATICALLY PASSED TO SBSS, ENSURING THAT BOTH SYSTEMS ARE UPDATED. IF ENTRIES ARE NOT MADE INTO G081, THIS INTERFACE WILL SUFFER CAUSING MAINTENANCE AND SUPPLY TO EXPERIENCE EXTRA, UNNECESSARY WORK DURING RECONCILIATION.

7. MONITORING WILL BE PERFORMED CONTINUALLY AS GRAND FORKS AND THE OTHER 3 UNITS ENTER DAILY PRODUCTION ACTIONS IN G081 ENRING NO PROBLEMS IN EITHER SYSTEM ARE ENCOUNTERED. MONITORING WILL BE ACCOMPLISHED JOINTLY BY THE G081 PROGRAMMERS, BOTH DMC ORGANIZATIONS (DISA/WESTHEM AND DISA/MONTGOMERY), AND HQ AMC/LGXI.

8. IF PROBLEMS ARE IDENTIFIED IN EITHER SYSTEM, ALL FOUR BASES WILL CONTINUE PROCESSING, BUT THE INTERFACE WILL NOT BE IMPLEMENTED AT ADDITIONAL UNITS UNTIL THE INTERFACE PROBLEMS ARE RESOLVED. ORGANIZATIONS MONITORING THE INTERFACE ACTIVITY WILL NOTIFY HQ AMC/LGXI UPON OCCURRENCE OF INTERFACE ERRORS.

9. WE ANTICIPATE A PHASED IMPLEMENTATION AT REMAINING G081 LOCATIONS WORLDWIDE, OVER THE NEXT 4-8 MONTHS, COMMENCING ONCE A SUCCESSFUL PRODUCTION STATE IS ACHIEVED AT GRAND FORKS AND THE OTHER THREE BASES. A DETAILED IMPLEMENTATION TIMELINE WILL BE AVAILABLE 30 DAYS FROM THE DATE A SUCCESSFUL PRODUCTION STATE AT ALL FOUR BASES IS ACHIEVED (SEE THE AMC/LGXI "G081/SBSS INTERFACE" WEB PAGE FOR THE LATEST INFORMATION).

10. THE G081/SBSS INTERFACE WEB PAGE IS FOUND AT THE FOLLOWING URL.

10.A. AMC/LG HOME PAGE ([HTTP://AMCLG.SCOTT.AF.MIL/LGMAIN.HTML](http://amclg.scott.af.mil/LGMAIN.HTML)).

10.B. FROM THE LEFT-HAND MENU BOX, SELECT "LG DIRECTORATE".

10.C. SELECT "LGX" (THE LAST DIVISION ON THE LIST).

10.D. SELECT "LGXI" (THE FIRST BRANCH ON THE LIST).

10.E. SELECT THE "G081/SBSS INTERFACE" (FROM THE LEFT-HAND LIST).

10.F. SELECT THE "G081/SBSS" INTERFACE USERS GUIDE (LAST ITEM ON THE PAGE).

10.G. THE G081/SBSS INTERFACE USER'S GUIDE IS AVAILABLE IN A PDF FORMAT AND YOU MUST HAVE ADOBE'S ACROBAT READER TO VIEW AND PRINT THE USERS GUIDE. IF YOU DO NOT HAVE THE ACROBAT READER, IT IS ALSO AVAILABLE ON THE OPENING LG WEB PAGE, UNDER THE SECTION TITLED "SUPPORT, LINKS, AND INFORMATION."

11. AS UNITS ACHIEVE A PRODUCTION STATE OF PROCESSING, ANY PROBLEMS OR SUGGESTIONS FOR ENHANCEMENT SHOULD BE IDENTIFIED USING THE G081 AUTOMATED 529 PROCESS.

12. POC'S ARE: MSGT HOPKINS, TSGT'S MITCHELL OR TUCKER, HQ AMC/LGQA, DSN 576-8190; SMSGT BARNES, HQ AMC/LGSPSP, DSN 576-5710; MSGT NAUMAN, HQ AMC/LGSPSS, AND MR. HYATT, HQ AMC/LGXI, DSN 576-5633.